



A&T[™]



SNAP U2

YOUR POCKET CAMERA
Redesigned.


Applications: Work from home | Tele consultation | Teach from home



**FULL HD
1080 P**



BUILT IN MIC



60° FOV



PRIVACY COVER



SNAP U2

SPECIFICATION



Image Acquisition

| | |
|--------------------|---|
| Main IC | Supports MJPEG / H.264 / H.265 compression 4k image processing chip, supporting various ISP processing algorithms |
| Image Sensor | 1/3 " 2.07 megapixel sensor |
| Display Resolution | 2.0MP, 1080p |
| Lens | lens, f= 2.2mm , Viewing angle 60 ° |

Audio & Video

| | |
|--------------------|--|
| Resolution | 1920 x 1080 |
| Video image format | YUY2 / MJPEG / H.264 |
| Frame Rate | 30 fps |
| Image Processing | Support 3D denoising, automatic white balance, automatic gain and other image processing algorithms |
| Audio | Built in mic with automatic noise reduction |

Interface

| | |
|-----|---|
| USB | USB2.0 interface, 1.5M cable. Plug and play |
|-----|---|

Other Function

| | |
|-----------|----------------------|
| Indicator | Light Red Indicator |
| Protocol | UVC(USB Video Class) |

Physical Parameters

| | |
|-----------------------|---------------------|
| Weight (g) | 104g |
| Dimensions(L*W*H) | 913mm x 80mm x 33mm |
| Power Supply | Power by USB |
| Operating Temperature | -10° ~ +40°C |
| Working Humidity | 10% – 90% |

Access Method

| | |
|----------------------|---|
| Laptop or Desktop PC | Supports chatting and video conferencing software |
|----------------------|---|

Application Environment

| | |
|------------|-----------------------------------|
| Enterprise | Video Conference & Live webcast |
| Medicine | Tele-medicine & Tele-consultation |
| Education | Online Classes & Lecture Capture |